PB90-131491

Environmental Radiation Data: Report 53, January-March 1988

(U.S.) Eastern Environmental Radiation Facility, Montgomery, AL

Sep 88



U.S. Department of Commerce
National Technical Information Service
NTIS

TECHNICAL REPORT DATA
(Please read Instructions on the reverse before completing)

1. REPORT NO.	2.	3. RECIPIENT'S ACCESSION NO.
EPA 520/5-88-057		PB 90 131491/AS

4. TITLE AND SUBTITLE	5. REPORT DATE
Environmental Radiation Data Report 53	September 1988 6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S)	**8. PERFORMING ORGANIZATION REPORT NO.**
Environmental Protection Agency Office of Radiation Programs	
9. PERFORMING ORGANIZATION NAME AND ADDRESS	**10. PROGRAM ELEMENT NO.**
Environmental Protection Agency Eastern Environmental Radiation Facility 1890 Federal Drive Montgomery, AL 36109	**11. CONTRACT/GRANT NO.**
12. SPONSORING AGENCY NAME AND ADDRESS	**13. TYPE OF REPORT AND PERIOD COVERED**
Environmental Protection Agency Office of Radiation Programs 401 M Street, SW Washington, DC 20460	Quarterly January 3, 1988 **14. SPONSORING AGENCY CODE**

15. SUPPLEMENTARY NOTES

16. ABSTRACT

Environmental Radiation Data (ERD) contains data from the Environmental Radiation Ambients Monitoring System (ERAMS). Data from similar networks operated by contributing States, Canada, Mexico, and the Pan American Health Organization are reported in the ERD when available.

The ERAMS is comprised of nationwide sampling stations that provide air, surface and drinking water and milk samples from which environmental radiation levels are derived. Sampling locations are selected to provide optimal population coverage while functioning to monitor fallout from nuclear devices and other forms of radioactive contamination of the environment. The radiation analyses performed on these samples include gross alpha and gross beta levels, gamma analyses for fission products, and specific analyses for uranium, plutonium, stronium, iodine, radium, krypton, and tritium.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
Radiation Radionuclides Contamination Samples Analyses Concentrations		

18. DISTRIBUTION STATEMENT	19. SECURITY CLASS *(This Report)*	21. NO. OF PAGES
Release Unlimited	Unclassified	45
	20. SECURITY CLASS *(This page)*	22. PRICE

EPA Form 2220-1 (Rev. 4-77) PREVIOUS EDITION IS OBSOLETE

United States
Environmental Protection
Agency
Office of Radiation Programs

Eastern Environmental
Radiation Facility
1890 Federal Drive
Montgomery, AL 36109

EPA 520/5-88-057
September 1988

Radiation

PB90-131491

EPA

Environmental Radiation Data

Report 53

January - March 1988



REPRODUCED BY
U.S. DEPARTMENT OF COMMERCE
NATIONAL TECHNICAL INFORMATION SERVICE
SPRINGFIELD, VA. 22161

ENVIRONMENTAL RADIATION DATA

REPORT 53

January - March 1988

United States Environmental Protection Agency

Office of Radiation Programs

Environmental Radiation Data (ERD) is compiled and distributed quarterly by the Office of Radiation Programs' Eastern Environmental Radiation Facility (EERF) in Montgomery, Alabama, and contains data from the Environmental Radiation Ambient Monitoring System (ERAMS). Data from similar networks operated by contributing States, Canada, Mexico, and the Pan American Health Organization are reported in the ERD when available.

ERAMS was established in 1973 by the U. S. Environmental Protection Agency's Office of Radiation Programs (ORP). The ERAMS is comprised of nationwide sampling stations that provide air, surface and drinking water, and milk samples from which environmental radiation levels are derived. The major emphasis for ERAMS is upon identifying trends in the accumulation of long-lived radionuclides in the environment.

Sampling locations are selected to provide optimal population coverage while functioning to monitor fallout from nuclear devices and other forms of radioactive contamination of the environment. The radiation analyses performed on these samples include gross alpha and gross beta levels, gamma analyses for fission products, and specific analyses for uranium, plutonium, strontium, iodine, radium, krypton, and tritium. This monitoring effort also provides ancillary information on natural background levels and on routine and accidental releases into the environment from stationary sources.

The radiochemical procedures used by the EERF to analyze the ERAMS samples are contained in *Eastern Environmental Radiation Facility Radiochemistry Procedures Manual* (EPA 520/5–84–006). Station operation and sample collection are in accordance with procedures contained in the *ERAMS Manual* (EPA 520/5–84–007, 008, 009).

Environmental Radiation Data

Contents

	Page
Data – Reporting Rationale and Procedures	ix
Data – ERAMS	1
Section I. Air Program	1
1. Airborne Particulates and Precipitation	1
2. Krypton–85	13
Section II. Water Program	14
1. Surface Water	14
2. Drinking Water	19
Section III. External Gamma Ambient Monitoring Program	25
Section IV. Milk Program	27
1. Pasteurized Milk	27
2. Strontium-90 and Strontium-89 in Milk	34
3. Carbon-14 in Milk	35

Preceding page blank

Environmental Radiation Data

List of Tables

Table		Page
1	ERAMS Reporting Increments and Minimum Detectable Levels	xi
2	Gross Beta Concentrations in Airborne Particulates: January 1988	2
3	Gross Beta Concentrations in Airborne Particulates: February 1988	4
4	Gross Beta Concentrations in Airborne Particulates: March 1988	6
5	Gross Beta Concentrations in Precipitation: January 1988	8
6	Gross Beta Concentrations in Precipitation: February 1988	9
7	Gross Beta Concentrations in Precipitation: March 1988	10
8	Tritium Concentrations in Precipitation: January - March 1988	11
9	Surface Water Tritium Concentrations: January - March 1988	15
10	Surface Water Annual Gamma Analysis: January - December 1987	17
11	Drinking Water Tritium Concentrations: January - March 1988	20
12	Iodine-131 in Drinking Water Concentrations: January - December 1987	22
13	Environmental Gamma Ambient Monitoring Program: January - March 1988	26
14	Concentrations of Radionuclides in Pasteurized Milk: January 1988	28
15	Concentrations of Radionuclides in Pasteurized Milk: February 1988	30
16	Concentrations of Radionuclides in Pasteurized Milk: March 1988	32
17	Strontium-90 and Strontium-89 in Pasteurized Milk: EPA Regional Composites	34

Preceding page blank

DATA - Reporting Rationale and Procedures

In 1973, the U.S. Environmental Protection Agency's Office of Radiation Programs established the Environmental Radiation Ambient Monitoring System (ERAMS) to provide continuous, accurate, and usable environmental radiation data to the public. For completeness, ERAMS data for all specific radionuclide analyses are reported as the calculated results indicate, whether the numbers are negative, zero, or positive.

Reporting Rationale

Frequently, there is little or no radioactivity in environmental media. Thus, the results of laboratory analyses should statistically show a distribution of negative and positive numbers about zero. A negative value occurs when a previously determined background value is subtracted from a sample value that is less than that of the background. Prior to July 1975, ERAMS data were not reported numerically when the results were less than a specified reporting level or minimum detectable level. The present reporting procedure allows all the data to be reported and evaluated statistically without an arbitrary cutoff of small or negative numbers. This approach will facilitate estimates of bias in the nuclide analyses and will allow better evaluation of distributions and trends in environmental data.

When reviewing the data in this report, caution should be exercised in the interpretation of individual negative values. Obviously, a negative activity value has no physical significance. Such numbers, however, are significant when taken together with other observations that indicate that the true value of a distribution is near zero. When an average of many measurements produces a result significantly less than zero, this indicates a bias in the measurement procedure.

(1) *Reported Values*

Specific Analyses. All specific radionuclide analyses will be reported as the counting results indicate, whether the value is negative, zero, or positive. All reported values are corrected for radioactive decay to the collection date.

Gross Analyses. The actual value of gross radioactivity measurements will be reported, unless the value is below the minimum detectable level (MDL) at the 2σ confidence level, then < minimum detectable level will be reported.

MDL is defined as the 3σ error of the background. A tabulation of typical MDL's is given in the following table.

(2) *Reported Error Terms*

Each reported value for specific analyses will be accompanied by a counting error term at the 2σ (95%) confidence interval. Error terms are therefore reported as counting errors. At the very low levels characteristic of most ERAMS measurements, counting error is the greatest contributor to overall error.

(3) *Significant Figures*

No more than three significant figures will be reported. If a datum contains more than three figures, it will be rounded off to three figures.

(4) *Reporting Levels*

The reporting units, smallest increments for reporting, and typical minimum detectable levels for each isotope are shown in Table 1. Reporting increments are sometimes considerably smaller than minimum detectable amounts to avoid truncation errors in averaging.

(5) *Averages*

Averages will be calculated along with appropriate error terms in an annual summary and analysis of ERAMS data. In calculating these averages, all values of individual data including negative numbers will be utilized. Averages will not be included in ERD quarterly reports.

Preceding page blank

Table 1

ERAMS Reporting Increments and Minimum Detectable Levels for Radionuclide Analyses

Radionuclide	Media	Reporting Units	Reporting Increments	Minimum Detectable Levels
Gross Alpha	Water	pCi/l	1 pCi/l	2 pCi/l
† Gross Beta	Air	pCi/m^3	0.01 pCi/m^3	0.01 pCi/m^3
	Water	pCi/l	1 pCi/l	1 pCi/l
	Precipitation	nCi/m^2	0.01 nCi/m^2	0.01 nCi/m^2
Tritium	Water	nCi/l	0.1 nCi/l	0.2 nCi/l
	Milk	nCi/l	0.1 nCi/l	0.2 nCi/l
Carbon-14	Milk	pCi/l	1 pCi/l	15 pCi/l
Krypton-85	Ambient Air	pCi/m^3	0.1 pCi/m^3	2 pCi/m^3
†† Plutonium-238,239,240	Air	aCi/m^3	0.1 aCi/m^3	0.015 pCi
	Milk	pCi/l	0.001 pCi/l	0.015 pCi
	Water	pCi/l	0.001 pCi/l	0.015 pCi
‡ Uranium-234,235,238	Air	aCi/m^3	0.1 aCi/m^3	0.015 pCi
	Milk	pCi/l	0.001 pCi/l	0.015 pCi
	Water	pCi/l	0.001 pCi/l	0.015 pCi
Radium-226	Water	pCi/l	0.1 pCi/l	0.1 pCi/l
Strontium-90	Milk	pCi/l	0.1 pCi/l	1 pCi/l
	Water	pCi/l	0.1 pCi/l	1 pCi/l
‡‡ Strontium-89	Milk	pCi/l	1 pCi/l	5 pCi/l
‡‡ Iodine-131	Milk	pCi/l	1 pCi/l	10 pCi/l
	Water	pCi/l	1 pCi/l	10 pCi/l
	Water	pCi/l	0.1 pCi/l	0.4 pCi/l
Iodine-129	(specific radiochemical analysis)			
Cesium-137	Milk	fCi/l	0.1 fCi/l	0.4 fCi/l
	Milk	pCi/l	1 pCi/l	10 pCi/l
	Water	pCi/l	1 pCi/l	10 pCi/l
‡‡ Barium-140	Milk	pCi/l	1 pCi/l	10 pCi/l
	Water	pCi/l	1 pCi/l	10 pCi/l
Potassium	Milk	g/l	0.1 g/l	0.12 g/l
	Water	g/l	0.1 g/l	0.12 g/l
Potassium-40	Water	pCi/l	1 pCi/l	100 pCi/l

† The value of MDL for precipitation in terms of nCi/m^3 would be dependent on precipitation (mm).

†† This value of MDL for air in terms of pCi/m^3 would be dependent on the air volume. Measurement by alpha spectroscopy that includes contributions of plutonium-239 and plutonium-240. MDL for all media given per sample.

‡ This value of MDL for air in terms of pCi/m^3 would be dependent on the air volume. MDL for all media given per sample.

‡‡ Activity as of the day of counting.

Preceding page blank

ENVIRONMENTAL RADIATION AMBIENT MONITORING SYSTEM (ERAMS)

Section I. Air Program

Airborne Particulates and Precipitation

Gross beta radioactivity measurements and certain specific analyses are performed on air particulates and precipitation samples as indicator measurements in assessing the general (national) impact of all contributing sources on environmental levels of radiation.

Airborne particulates are collected continuously at field stations representing wide geographic coverage, including present and potential sources of environmental radioactivity. Sampling sites are located throughout the United States.

Filters (10–cm diameter synthetic fiber) from air samplers are changed twice weekly and field measurements are made with a G-M survey meter [1] at 5 hours and 29 hours after collection to allow for radon and thoron daughter product decay. Field estimates are reported to appropriate EPA officials by telephone or mail depending on the activity levels found.

The filters are sent to EERF for more sensitive analyses in a low background beta counter. Gamma scans are performed on all filters showing gross beta counts greater than 1 pCi/m^3. The laboratory obtained values are usually lower than the field estimates due to the decay of naturally occurring radionuclides between the times of the two measurements.

Precipitation samples are collected at those field stations collecting air filters. These samples are also sent to EERF where they are composited monthly for gamma scans, tritium, and gross beta activity measurements. A composite of the March, April, and May precipitation samples is analyzed for plutonium–238, –239, –240, and uranium–234, –235, and –238.

A compilation of individual measurements is available from the Eastern Environmental Radiation Facility, 1890 Congressman W.L. Dickinson Drive, Montgomery, AL 36109.

Tables 2–4 contain the data in airborne particulate samples for January - March 1988.

Tables 5–7 contain the data in precipitation sample for January - March 1988.

Table 8 contains the data for tritium in precipitation samples for January - March 1988 at the selected sites.

---

[1] The counts at five hours for the Montgomery, Alabama, station are performed on a low background beta counter.

Table 2

Airborne Particulates
Gross Beta Concentrations

January 1988

Location	# Sam	5--Hr Field Estimate (pCi/m^3)			EERF Lab Measurment (pCi/m^3)		
		Max	Min	Ave	Max	Min	Ave
AL:MONTGOMERY	8	1.5	0.1	0.8	0.03	0.01	0.02
AR:LITTLE ROCK	8	0.2	0.0	0.1	0.03	0.01	0.01
CA:BERKELEY	8	0.0	0.0	0.0	0.02	0.00	0.01
CA:LOS ANGELES	8	0.2	0.1	0.1	0.02	0.01	0.01
CO:DENVER	7	0.2	0.1	0.1	0.03	0.00	0.01
CT:HARTFOR	8	0.1	0.0	0.1	0.04	0.00	0.01
DE:WILMINGTON	8	0.1	0.0	0.0	0.03	0.01	0.01
FL:JACKSONVILLE	8	0.2	0.0	0.1	0.04	0.01	0.01
FL:MIAMI	8	0.1	0.0	0.0	0.03	0.00	0.01
GA:ATLANTA	4	0.3	0.1	0.2	0.02	0.00	0.01
HI:HONOLULU	8	0.4	0.1	0.2	0.01	0.00	0.00
IA:IOWA CITY	8	0.1	0.0	0.1	0.02	0.01	0.02
ID:BOISE	8	0.6	0.0	0.1	0.03	0.00	0.01
ID:IDAHO FALLS	8	0.0	0.0	0.0	0.03	0.00	0.02
IL:CHICAGO	8	0.2	0.1	0.1	0.02	0.01	0.02
IN:INDIANAPOLIS	2	0.1	0.0	0.1	0.02	0.01	0.01
KS:TOPEKA	7	0.5	0.2	0.3	0.02	0.01	0.01
KY:FRANKFORT	2	0.1	0.1	0.1	0.01	0.01	0.01
LA:NEW ORLEANS	3	0.0	0.0	0.0	0.02	0.01	0.01
MA:LAWRENCE	6	0.1	0.0	0.1	0.02	0.01	0.01
ME:AUGUSTA	7	0.1	0.0	0.1	0.03	0.01	0.01
MI:LANSING	8	0.1	0.0	0.1	0.02	0.01	0.01
MN:MINNEAPOLIS	7	0.3	0.1	0.2	0.03	0.01	0.02
MO:JEFFERSON CITY	9	1.1	0.1	0.3	0.02	0.01	0.02
MS:JACKSON	7	0.2	0.0	0.1	0.02	0.01	0.01
NC:CHARLOTTE	7	0.2	0.0	0.1	0.02	0.01	0.01
NC:WILMINGTON	7	0.0	0.0	0.0	0.03	0.00	0.01
ND:BISMARCK	8	0.9	0.2	0.5	0.03	0.01	0.02
NE:LINCOLN	8	0.7	0.1	0.4	0.02	0.01	0.01
NH:CONCORD	8	0.0	0.0	0.0	0.02	0.01	0.01
NJ:TRENTON	8	0.1	0.0	0.1	0.04	0.01	0.02
NM:SANTA FE	8	0.2	0.1	0.1	0.01	0.00	0.01
NV:LAS VEGAS	8	0.4	0.0	0.2	0.04	0.01	0.02
NY:ALBANY	3	0.1	0.0	0.0	0.05	0.02	0.03
NY:NEW YORK CITY	8	0.2	0.0	0.1	0.03	0.01	0.02
NY:NIAGARA FALLS	8	0.1	0.0	0.1	0.02	0.01	0.01
NY:SYRACUSE	2	0.1	0.0	0.1	0.01	0.01	0.01

Table 2 (continued)

Airborne Particulates
Gross Beta Concentrations

January 1988

Location	# Sam	5--Hr Field Estimate (pCi/m³)			EERF Lab Measurment (pCi/m³)		
		Max	Min	Ave	Max	Min	Ave
NY:YAPHANK	8	0.1	0.0	0.1	0.02	0.01	0.01
OH:COLUMBUS	6	0.2	0.1	0.1	0.03	0.01	0.02
OH:PAINESVILLE	8	0.1	0.0	0.1	0.02	0.01	0.01
OH:TOLEDO	8	0.2	0.1	0.1	0.02	0.01	0.02
OK:OKLAHOMA CITY	7	0.4	0.0	0.1	0.03	0.01	0.02
OR:PORTLAND	8	0.0	0.0	0.0	0.06	0.00	0.02
PA:GOLDSBORO	8	0.1	0.0	0.0	0.03	0.01	0.01
PA:HARRISBURG	8	0.1	0.0	0.1	0.03	0.01	0.01
PA:PHILADELPHIA	8	0.3	0.0	0.1	0.03	0.01	0.02
PA:PITTSBURGH	8	0.1	0.1	0.1	0.02	0.01	0.01
PA:THREE MILE ISLAND	8	0.3	0.0	0.1	0.04	0.01	0.02
RI:PROVIDENCE	7	0.1	0.0	0.1	0.03	0.01	0.01
SC:BARNWELL	2	0.0	0.0	0.0	0.01	0.01	0.01
SC:COLUMBIA	7	0.5	0.0	0.2	0.02	0.01	0.02
SD:PIERRE	7	0.3	0.0	0.2	0.03	0.01	0.02
TN:KNOXVILLE	7	0.3	0.0	0.1	0.03	0.01	0.02
TX:AUSTIN	3	0.1	0.0	0.1	0.02	0.01	0.02
TX:EL PASO	8	1.2	0.3	0.6	0.04	0.01	0.02
VA:LYNCHBURG	8	0.3	0.0	0.2	0.02	0.01	0.01
WA:OLYMPIA	8	0.4	0.0	0.1	0.03	0.00	0.01
WA:SPOKANE	8	0.1	0.0	0.0	0.04	0.00	0.02
WI:MADISON	8	0.3	0.0	0.1	0.02	0.01	0.01
WV:CHARLESTON	7	0.2	0.0	0.1	0.02	0.01	0.01

Minimum Detectable Limit for field estimates – 0.1 pCi/m³.
Minimum Detectable Limit for laboratory measurement – 0.01 pCi/m³.

Table 3

Airborne Particulates
Gross Beta Concentrations

February 1988

Location	# Sam	5--Hr Field Estimate (pCi/m^3)			EERF Lab Measurment (pCi/m^3)		
		Max	Min	Ave	Max	Min	Ave
AL:MONTGOMERY	8	0.9	0.0	0.3	0.02	0.01	0.01
AR:LITTLE ROCK	9	0.4	0.1	0.2	0.02	0.01	0.01
CA:BERKELEY	8	0.0	0.0	0.0	0.02	0.00	0.01
CA:LOS ANGELES	8	0.9	0.0	0.2	0.01	0.01	0.01
CO:DENVER	9	0.4	0.1	0.2	0.02	0.00	0.01
CT:HARTFORD	9	0.1	0.0	0.0	0.01	0.01	0.01
DE:WILMINGTON	8	0.1	0.0	0.0	0.01	0.01	0.01
FL:JACKSONVILLE	9	0.2	0.0	0.1	0.02	0.00	0.01
FL:MIAMI	9	0.1	0.0	0.0	0.02	0.00	0.01
GA:ATLANTA	5	0.5	0.1	0.3	0.02	0.01	0.01
HI:HONOLULU	9	0.3	0.1	0.2	0.01	0.00	0.00
IA:IOWA CITY	9	0.1	0.0	0.0	0.02	0.01	0.01
ID:BOISE	9	0.9	0.0	0.3	0.04	0.00	0.02
ID:IDAHO FALLS	9	0.0	0.0	0.0	0.02	0.00	0.01
IL:CHICAGO	9	0.1	0.0	0.1	0.02	0.01	0.01
IN:INDIANAPOLIS	8	0.2	0.0	0.1	0.02	0.01	0.01
KS:TOPEKA	8	0.8	0.1	0.4	0.02	0.01	0.02
KY:FRANKFORT	2	0.1	0.1	0.1	0.01	0.01	0.01
LA:NEW ORLEANS	4	0.0	0.0	0.0	0.01	0.01	0.01
MA:LAWRENCE	8	0.1	0.0	0.1	0.01	0.01	0.01
ME:AUGUSTA	7	0.1	0.0	0.1	0.02	0.01	0.01
MI:LANSING	9	0.1	0.0	0.0	0.02	0.01	0.01
MN:MINNEAPOLIS	8	0.2	0.0	0.1	0.02	0.01	0.02
MO:JEFFERSON CITY	8	0.3	0.0	0.1	0.02	0.01	0.01
MS:JACKSON	8	0.2	0.0	0.1	0.02	0.01	0.02
NC:CHARLOTTE	8	0.3	0.0	0.1	0.02	0.01	0.01
NC:WILMINGTON	9	0.0	0.0	0.0	0.01	0.00	0.01
ND:BISMARCK	8	0.3	0.1	0.2	0.02	0.00	0.02
NE:LINCOLN	9	1.6	0.1	0.6	0.02	0.00	0.01
NH:CONCORD	8	0.0	0.0	0.0	0.01	0.01	0.01
NJ:TRENTON	9	0.2	0.0	0.1	0.02	0.01	0.01
NM:SANTA FE	9	0.3	0.1	0.2	0.01	0.00	0.01
NV:LAS VEGAS	6	0.3	0.1	0.2	0.02	0.01	0.02
NY:ALBANY	4	0.0	0.0	0.0	0.02	0.00	0.01
NY:NEW YORK CITY	7	0.2	0.1	0.1	0.03	0.01	0.02
NY:NIAGARA FALLS	8	0.1	0.0	0.1	0.02	0.01	0.01
NY:SYRACUSE	4	0.0	0.0	0.0	0.01	0.01	0.01

Table 3 (continued)

Airborne Particulates
Gross Beta Concentrations

February 1988

Location	# Sam	5--Hr Field Estimate (pCi/m³)			EERF Lab Measurment (pCi/m³)		
		Max	Min	Ave	Max	Min	Ave
NY:YAPHANK	6	0.1	0.0	0.1	0.01	0.01	0.01
OH:COLUMBUS	8	0.1	0.0	0.1	0.02	0.01	0.02
OH:PAINESVILLE	8	0.1	0.0	0.1	0.02	0.01	0.01
OH:TOLEDO	9	0.1	0.0	0.0	0.02	0.01	0.01
OK:OKLAHOMA CITY	6	0.6	0.1	0.4	0.02	0.01	0.02
OR:PORTLAND	8	0.0	0.0	0.0	0.02	0.00	0.01
PA:GOLDSBORO	9	0.7	0.0	0.2	0.02	0.00	0.01
PA:HARRISBURG	9	0.1	0.0	0.1	0.02	0.01	0.01
PA:PHILADELPHIA	8	0.8	0.1	0.3	0.02	0.01	0.01
PA:PITTSBURGH	9	0.0	0.0	0.0	0.02	0.01	0.01
PA:THREE MILE ISLAND	9	0.4	0.0	0.1	0.02	0.01	0.01
RI:PROVIDENCE	8	0.2	0.0	0.1	0.02	0.01	0.01
SC:BARNWELL	1	0.0	0.0	0.0	0.01	0.01	0.01
SC:COLUMBIA	7	0.3	0.1	0.2	0.04	0.00	0.02
SD:PIERRE	7	0.4	0.1	0.2	0.03	0.01	0.02
TN:KNOXVILLE	8	0.6	0.0	0.1	0.02	0.01	0.02
TX:AUSTIN	8	0.4	0.1	0.2	0.02	0.01	0.01
TX:EL PASO	9	1.5	0.3	0.7	0.02	0.01	0.02
VA:LYNCHBURG	9	0.5	0.1	0.3	0.01	0.00	0.01
WA:OLYMPIA	9	0.3	0.0	0.1	0.02	0.00	0.01
WA:SPOKANE	9	0.3	0.0	0.1	0.03	0.00	0.01
WI:MADISON	9	0.1	0.0	0.1	0.02	0.01	0.01
WV:CHARLESTON	9	0.2	0.0	0.1	0.02	0.01	0.01

Minimum Detectable Limit for field estimates – 0.1 pCi/m³.
Minimum Detectable Limit for laboratory measurement – 0.01 pCi/m³.

Table 4

Airborne Particulates
Gross Beta Concentrations

March 1988

Location	# Sam	5--Hr Field Estimate (pCi/m^3)			EERF Lab Measurment (pCi/m^3)		
		Max	Min	Ave	Max	Min	Ave
AL:MONTGOMERY	9	0.9	0.1	0.4	0.08	0.01	0.02
AR:LITTLE ROCK	8	0.4	0.1	0.2	0.01	0.01	0.01
CA:BERKELEY	9	0.0	0.0	0.0	0.01	0.00	0.01
CA:LOS ANGELES	9	0.4	0.0	0.2	0.03	0.00	0.01
CO:DENVER	9	0.7	0.2	0.4	0.01	0.01	0.01
CT:HARTFORD	8	0.1	0.0	0.0	0.01	0.00	0.01
DE:WILMINGTON	10	0.2	0.1	0.1	0.01	0.00	0.01
FL:JACKSONVILLE	7	0.2	0.0	0.1	0.01	0.01	0.01
FL:MIAMI	8	0.1	0.0	0.0	0.01	0.01	0.01
GA:ATLANTA	4	0.5	0.0	0.3	0.01	0.01	0.01
HI:HONOLULU	8	0.2	0.1	0.2	0.01	0.00	0.00
IA:IOWA CITY	9	0.5	0.1	0.2	0.01	0.01	0.01
ID:BOISE	7	0.3	0.1	0.2	0.02	0.00	0.01
ID:IDAHO FALLS	8	0.0	0.0	0.0	0.01	0.00	0.01
IL:CHICAGO	8	0.5	0.0	0.2	0.02	0.01	0.01
IN:INDIANAPOLIS	10	0.4	0.1	0.2	0.02	0.00	0.01
KS:TOPEKA	8	1.3	0.3	1.0	0.02	0.01	0.01
KY:FRANKFORT	5	0.4	0.1	0.2	0.01	0.00	0.01
LA:NEW ORLEANS	3	0.0	0.0	0.0	0.01	0.01	0.01
MA:LAWRENCE	9	0.2	0.0	0.1	0.01	0.01	0.01
ME:AUGUSTA	8	0.1	0.0	0.1	0.01	0.00	0.01
MI:LANSING	9	0.4	0.0	0.1	0.01	0.01	0.01
MN:MINNEAPOLIS	9	0.4	0.0	0.2	0.02	0.01	0.01
MO:JEFFERSON CITY	9	0.7	0.2	0.3	0.02	0.01	0.01
MS:JACKSON	9	0.2	0.0	0.1	0.03	0.01	0.01
NC:CHARLOTTE	8	0.4	0.0	0.1	0.03	0.00	0.02
NC:WILMINGTON	9	0.1	0.1	0.1	0.01	0.01	0.01
ND:BISMARCK	8	0.6	0.2	0.4	0.01	0.01	0.01
NE:LINCOLN	9	3.0	0.6	1.4	0.05	0.01	0.02
NH:CONCORD	9	0.1	0.0	0.0	0.01	0.00	0.01
NJ:TRENTON	9	0.3	0.1	0.2	0.01	0.00	0.01
NM:SANTA FE	8	0.6	0.2	0.3	0.01	0.01	0.01
NV:LAS VEGAS	9	0.2	0.1	0.2	0.06	0.00	0.02
NY:ALBANY	4	0.0	0.0	0.0	0.01	0.01	0.01
NY:NEW YORK CITY	9	0.3	0.1	0.1	0.02	0.01	0.01
NY:NIAGARA FALLS	10	0.2	0.0	0.1	0.01	0.01	0.01
NY:SYRACUSE	4	0.1	0.0	0.0	0.01	0.01	0.01

Table 4 (continued)

Airborne Particulates
Gross Beta Concentrations

March 1988

Location	# Sam	5--Hr Field Estimate (pCi/m³)			EERF Lab Measurment (pCi/m³)		
		Max	Min	Ave	Max	Min	Ave
NY:YAPHANK	9	0.3	0.1	0.1	0.01	0.00	0.01
OH:COLUMBUS	6	0.2	0.1	0.1	0.02	0.00	0.01
OH:PAINESVILLE	9	0.2	0.0	0.1	0.01	0.01	0.01
OH:TOLEDO	9	0.3	0.0	0.1	0.01	0.01	0.01
OK:OKLAHOMA CITY	7	0.6	0.1	0.4	0.01	0.01	0.01
OR:PORTLAND	9	0.0	0.0	0.0	0.02	0.00	0.01
PA:GOLDSBORO	9	0.9	0.0	0.3	0.02	0.00	0.01
PA:HARRISBURG	9	0.3	0.0	0.1	0.01	0.00	0.01
PA:PHILADELPHIA	8	0.1	0.0	0.1	0.02	0.01	0.01
PA:PITTSBURGH	9	0.1	0.1	0.1	0.01	0.01	0.01
PA:THREE MILE ISLAND	8	0.7	0.0	0.3	0.01	0.01	0.01
RI:PROVIDENCE	7	0.4	0.0	0.2	0.01	0.01	0.01
SC:BARNWELL	2	0.0	0.0	0.0	0.01	0.01	0.01
SC:COLUMBIA	10	0.6	0.1	0.3	0.04	0.01	0.02
SD:PIERRE	9	0.8	0.2	0.4	0.02	0.01	0.01
TN:KNOXVILLE	8	0.7	0.1	0.4	0.03	0.01	0.02
TN:NASHVILLE	10	0.4	0.1	0.2	0.01	0.00	0.01
TX:AUSTIN	6	0.3	0.1	0.2	0.01	0.01	0.01
TX:EL PASO	9	0.9	0.3	0.6	0.02	0.01	0.02
VA:LYNCHBURG	9	0.9	0.1	0.4	0.01	0.01	0.01
WA:OLYMPIA	8	0.3	0.0	0.1	0.01	0.00	0.00
WA:SPOKANE	9	0.3	0.1	0.2	0.02	0.00	0.01
WI:MADISON	9	0.4	0.1	0.2	0.02	0.01	0.01
WV:CHARLESTON	9	0.3	0.1	0.2	0.01	0.01	0.01

Minimum Detectable Limit for field estimates – 0.1 pCi/m³.
Minimum Detectable Limit for laboratory measurement – 0.01 pCi/m³.

Table 5

Gross Beta Concentrations in Precipitation

January 1988

Location	Depth (mm)	Act. $\pm 2\sigma$ (nCi/m^2)		Specific Gamma Activity
AL:MONTGOMERY	132.8	0.12	0.06	ND
AR:LITTLE ROCK	42.0	0.09	0.02	ND
CA:BERKELEY	112.2	0.09	0.05	ND
CO:DENVER	16.8	0.02	0.01	ND
CT:HARTFORD	66.6	0.23	0.04	ND
FL:JACKSONVILLE	135.2	0.19	0.08	ND
FL:MIAMI	68.0	0.06	0.03	ND
ID:BOISE	23.0	0.03	0.01	ND
IL:CHICAGO	36.6	0.08	0.02	ND
LA:NEW ORLEANS	80.0	0.03	0.04	ND
MA:LAWRENCE	60.0	0.07	0.03	ND
MN:MINNEAPOLIS	7.8	0.01	0.00	ND
MO:JEFFERSON CITY	8.0	0.02	0.01	ND
NC:CHARLOTTE	100.0	0.23	0.06	ND
NC:WILMINGTON	142.0	0.18	0.07	ND
NJ:TRENTON	60.8	0.07	0.03	ND
NV:LAS VEGAS	8.0	0.01	0.00	ND
NY:ALBANY	21.8	0.04	0.01	ND
NY:NEW YORK CITY	30.8	0.07	0.02	ND
NY:NIAGARA FALLS	20.0	0.05	0.01	ND
OH:PAINESVILLE	13.0	0.08	0.01	NA
OR:PORTLAND	128.4	0.09	0.06	ND
PA:HARRISBURG	60.6	0.10	0.03	ND
PA:MIDDLETOWN	9.0	0.01	0.00	ND
PA:PHILADELPHIA	24.0	0.06	0.01	ND
SC:BARNWELL	27.2	0.02	0.01	ND
SC:COLUMBIA	95.6	0.11	0.05	ND
TN:KNOXVILLE	84.0	0.11	0.04	ND
VA:LYNCHBURG	61.8	0.09	0.03	ND
WA:OLYMPIA	159.0	0.01	0.06	ND
WI:MADISON	30.8	0.02	0.01	ND

σ = Sigma Counting Error.
NA = Not Analyzed.
ND = No Gamma Activity Detectable.

Table 6

Gross Beta Concentrations in Precipitation

February 1988

Location	Depth (mm)	Act. $\pm 2\sigma$ (nCi/m^2)		Specific Gamma Activity
AL:MONTGOMERY	112.0	0.18	0.06	ND
AR:LITTLE ROCK	84.0	0.59	0.07	ND
CO:DENVER	8.8	0.06	0.01	ND
CT:HARTFORD	57.0	0.16	0.03	ND
FL:JACKSONVILLE	80.0	0.11	0.04	ND
FL:MIAMI	8.6	0.01	0.00	ND
ID:BOISE	20.0	0.03	0.01	ND
ID:IDAHO FALLS	7.0	0.00	0.00	ND
IL:CHICAGO	29.8	0.05	0.02	ND
LA:NEW ORLEANS	44.0	0.01	0.02	ND
MA:LAWRENCE	40.0	0.11	0.02	ND
MN:MINNEAPOLIS	3.2	0.02	0.00	ND
MO:JEFFERSON CITY	24.0	0.08	0.02	ND
NC:CHARLOTTE	44.0	0.25	0.03	ND
NC:WILMINGTON	59.0	0.11	0.03	ND
ND:BISMARCK	6.8	0.03	0.01	ND
NJ:TRENTON	82.0	0.38	0.06	ND
NV:LAS VEGAS	8.4	0.01	0.00	ND
NY:ALBANY	43.4	0.10	0.02	ND
NY:NEW YORK CITY	16.0	0.03	0.01	ND
NY:NIAGARA FALLS	70.0	0.18	0.04	ND
NY:YAPHANK	84.0	0.19	0.05	ND
OH:PAINESVILLE	55.0	0.27	0.04	ND
OR:PORTLAND	27.4	0.06	0.02	ND
PA:HARRISBURG	87.4	0.13	0.04	ND
PA:PHILADELPHIA	119.0	0.17	0.06	ND
RI:PROVIDENCE	9.0	0.02	0.01	ND
SC:BARNWELL	24.8	0.02	0.01	ND
SC:COLUMBIA	54.2	0.06	0.03	ND
TN:KNOXVILLE	42.0	0.01	0.02	ND
TX:EL PASO	9.0	0.02	0.01	ND
VA:LYNCHBURG	55.4	0.09	0.03	ND
WA:OLYMPIA	77.4	0.09	0.04	ND
WI:MADISON	14.0	0.01	0.01	ND
WV:CHARLESTON	51.2	0.22	0.04	ND

σ = Sigma Counting Error.
NA = Not Analyzed.
ND = No Gamma Activity Detectable.

Table 7

Gross Beta Concentrations in Precipitation

March 1988

Location	Depth (mm)	Act. $\pm 2\sigma$ (nCi/m^2)		Specific Gamma Activity
AL:MONTGOMERY	78.2	0.10	0.04	ND
AR:LITTLE ROCK	74.0	0.06	0.03	ND
CA:BERKELEY	13.4	0.02	0.01	ND
CO:DENVER	6.0	0.01	0.00	ND
CT:HARTFORD	24.8	0.07	0.01	ND
FL:JACKSONVILLE	86.4	0.03	0.03	ND
FL:MIAMI	28.0	0.07	0.02	ND
ID:BOISE	40.0	0.03	0.02	ND
ID:IDAHO FALLS	2.0	0.01	0.00	ND
IL:CHICAGO	25.6	0.02	0.01	ND
LA:NEW ORLEANS	40.0	0.02	0.02	ND
MI:LANSING	23.6	0.01	0.01	ND
MN:MINNEAPOLIS	21.4	0.04	0.01	ND
MO:JEFFERSON CITY	85.0	0.05	0.04	ND
NC:CHARLOTTE	87.0	0.14	0.05	ND
NC:WILMINGTON	75.0	0.04	0.03	ND
ND:BISMARCK	7.0	0.01	0.00	ND
NJ:TRENTON	41.4	0.04	0.02	ND
NY:ALBANY	6.0	0.01	0.00	ND
NY:NEW YORK CITY	28.6	0.05	0.01	ND
NY:NIAGARA FALLS	54.0	0.04	0.02	ND
NY:YAPHANK	82.0	0.34	0.06	ND
OH:PAINESVILLE	52.0	0.06	0.02	ND
OH:TOLEDO	20.0	0.05	0.01	ND
OR:PORTLAND	80.6	0.06	0.04	ND
PA:HARRISBURG	49.2	0.03	0.02	ND
PA:MIDDLETOWN	42.0	0.02	0.02	ND
PA:PHILADELPHIA	37.0	0.03	0.02	ND
RI:PROVIDENCE	16.0	0.03	0.01	ND
SC:COLUMBIA	47.0	0.11	0.03	ND
TN:KNOXVILLE	69.0	0.04	0.03	ND
TN:NASHVILLE	56.6	0.05	0.02	ND
VA:LYNCHBURG	7.4	0.01	0.00	ND
WA:OLYMPIA	180.2	0.06	0.07	ND
WI:MADISON	8.0	0.01	0.00	ND
WV:CHARLESTON	79.4	0.04	0.03	ND

σ = Sigma Counting Error.
NA = Not Analyzed.
ND = No Gamma Activity Detectable.

Table 8

Precipitation
Tritium Concentrations

January - March 1988

Location	January 1988 nCi/l	±2σ	February 1988 nCi/l	±2σ	March 1988 nCi/l	±2σ
AL:MONTGOMERY	0.1	0.2	0.1	0.2	0.1	0.2
AR:LITTLE ROCK	0.3	0.2	0.3	0.2	0.1	0.2
CA:BERKELEY	0.2	0.2	NS		0.1	0.2
CO:DENVER	0.3	0.2	0.3	0.2	0.2	0.2
CT:HARTFORD	0.2	0.2	0.1	0.2	0.3	0.2
FL:JACKSONVILLE	0.2	0.2	0.2	0.2	0.2	0.2
FL:MIAMI	0.2	0.2	0.1	0.2	0.1	0.2
ID:BOISE	0.2	0.2	0.2	0.2	0.2	0.2
ID:IDAHO FALLS	NS		0.2	0.2	0.1	0.2
IL:CHICAGO	0.1	0.2	0.1	0.2	0.1	0.2
LA:NEW ORLEANS	0.3	0.2	0.2	0.2	0.3	0.2
MA:LAWRENCE	0.1	0.2	0.2	0.2	NS	
MI:LANSING	NS		NS		0.1	0.2
MN:MINNEAPOLIS	0.2	0.2	0.2	0.2	0.3	0.2
MO:JEFFERSON CITY	0.2	0.2	0.2	0.2	0.2	0.2
NC:CHARLOTTE	0.2	0.2	0.5	0.2	0.3	0.2
NC:WILMINGTON	0.2	0.2	0.3	0.2	0.2	0.2
ND:BISMARCK	NS		0.2	0.2	0.3	0.2
NJ:TRENTON	0.1	0.2	0.1	0.2	0.3	0.2
NV:LAS VEGAS	0.3	0.2	0.4	0.2	NS	
NY:ALBANY	0.2	0.2	0.1	0.2	0.2	0.2
NY:NEW YORK CITY	0.1	0.2	0.2	0.2	0.4	0.2
NY:NIAGARA FALLS	0.2	0.2	0.4	0.2	0.3	0.2
NY:YAPHANK	NS		0.2	0.2	0.1	0.2
OH:PAINESVILLE	0.1	0.2	0.2	0.2	0.2	0.2
OH:TOLEDO	NS		NS		0.3	0.2
OR:PORTLAND	0.3	0.2	0.2	0.2	0.1	0.2
PA:HARRISBURG	0.2	0.2	0.2	0.2	0.2	0.2
PA:MIDDLETOWN	0.2	0.2	NS		0.2	0.2
PA:PHILADELPHIA	0.1	0.2	0.2	0.2	0.1	0.2
RI:PROVIDENCE	NS		0.1	0.2	0.2	0.2
SC:BARNWELL	2.1	0.2	1.2	0.2	NS	
SC:COLUMBIA	0.2	0.2	0.6	0.2	0.3	0.2
TN:KNOXVILLE	0.2	0.2	0.2	0.2	0.1	0.2
TN:NASHVILLE	NS		NS		0.1	0.2
TX:EL PASO	NS		0.2	0.2	NS	
VA:LYNCHBURG	0.2	0.2	0.3	0.2	0.1	0.2

Table 8 (continued)

Precipitation
Tritium Concentrations
January - March 1988

Location	January 1988 nCi/l	±2σ	February 1988 nCi/l	±2σ	March 1988 nCi/l	±2σ
WA:OLYMPIA	0.4	0.2	0.3	0.2	0.1	0.2
WI:MADISON	0.1	0.2	0.2	0.2	0.2	0.2
WV:CHARLESTON	NS		0.3	0.2	0.1	0.2

σ = Sigma Counting Error.
NS = No Sample.

Krypton–85

Krypton–85 is a long–lived noble gas with a half–life of 10.8 years. It is released into the atmosphere by nuclear reactor operations, fuel reprocessing, weapons tests, and research and defense related activities. Krypton–85 also occurs naturally in minor quantities primarily from the neutron capture of stable krypton–84 as well as spontaneous fission and neutron–induced fission of uranium. Krypton–85 in the atmosphere has been monitored to identify and establish baseline levels and long–term trends.

Krypton–85 analysis began in January 1973 with sample collections and analyses being performed for 12 sampling locations. These locations were selected to provide atmospheric coverage of the United States with considerations being given to the proximity to fuel reprocessing plants, nuclear reactors, and wide geographic coverage.

Dry compressed air samples, collected at each location, are purchased from commercial air suppliers and shipped to the EERF where the krypton–85 is cryogenically separated and counted in a liquid scintillation system.

The last Kr–85 results were for 1976, 1977, and 1979. They were published in *Environmental Radiation Data: Report 30.*

ENVIRONMENTAL RADIATION
AMBIENT MONITORING SYSTEM (ERAMS)

Section II. Water Program

The ERAMS water program provides data on ambient radiation levels in the nation's rivers, streams, and drinking water supplies.

Surface Water

Quarterly grab samples are taken downstream from operating or future nuclear facilities at 58 stations.

Surface water samples are analyzed for tritium quarterly and specific gamma activity annually. Tritium is a primary radioactive pollutant from nuclear power plants and weapons production activities.

Tritium concentrations are determined by liquid scintillation counting of distilled samples. Gamma scans are performed annually to determine levels of gamma emitting radionuclides.

Table 9 contains the data for tritium concentrations for January - March 1988.
Table 10 contains the surface water annual gamma results for January - December 1987.

Table 9

Surface Water Tritium Concentrations

January - March 1988

Location	Source	Date Collected	nCi/l	$\pm 2\sigma$
AL:DECATUR	TENNESSEE RIVER	12/29/87	0.3	0.2
AL:GORDON	CHATTAHOOCHEE RIVER	01/22/88	0.2	0.2
AL:SCOTTSBORO	TENNESSEE RIVER	12/30/87	0.1	0.2
AR:LITTLE ROCK	ARKANSAS RIVER	01/19/88	0.1	0.2
CA:DIABLO CANYON	PACIFIC OCEAN	12/23/87	0.2	0.2
CA:EUREKA	HUMBOLDT BAY	01/07/88	0.1	0.2
CO:PLATTEVILLE	SOUTH PLATTE RIVER	01/04/88	0.3	0.2
CT:EAST HADDAM	CONNECTICUT RIVER	01/21/88	0.2	0.2
CT:WATERFORD	LONG ISLAND SOUND	01/22/88	0.2	0.2
FL:CRYSTAL RIVER	GULF OF MEXICO	01/04/88	0.2	0.2
FL:FT. PIERCE	ATLANTIC OCEAN	01/05/88	0.3	0.2
FL:HOMESTEAD	BISCAYNE BAY	03/07/88	0.2	0.2
IA:CEDAR RAPIDS	CEDAR RIVER	01/12/88	0.3	0.2
ID:BUHL	SNAKE RIVER	02/17/88	0.2	0.2
IL:E. MOLINE	MISSISSIPPI RIVER	02/15/88	0.2	0.2
IL:MORRIS	ILLINOIS RIVER	03/07/88	0.2	0.2
IL:ZION	LAKE MICHIGAN	02/15/88	0.3	0.2
LA:NEW ORLEANS	MISSISSIPPI RIVER	01/05/88	0.2	0.2
MA:PLYMOUTH	CAPE COD BAY	01/06/88	0.2	0.2
MD:CONOWINGO	SUSQUEHANNA RIVER	01/12/88	0.2	0.2
MD:LUSBY	CHESAPEAKE BAY	01/05/88	0.1	0.2
ME:WISCASSET	MONTSEWAY BAY	01/05/88	0.1	0.2
MI:CHARLEVOIX	LAKE MICHIGAN	01/16/88	0.4	0.2
MI:MONROE	LAKE ERIE	01/17/88	0.1	0.2
MN:MONTICELLO	MISSISSIPPI RIVER	02/22/88	0.2	0.2
MN:RED WING	MISSISSIPPI RIVER	01/13/88	0.4	0.2
MS:PORT GIBSON	MISSISSIPPI RIVER	01/14/88	0.3	0.2
NC:CHARLOTTE	CATAWBA RIVER	01/06/88	0.5	0.2
NC:SOUTHPORT	ATLANTIC OCEAN	01/15/88	0.2	0.2
NE:RULO	MISSOURI RIVER	01/05/88	0.2	0.2
NJ:BAYSIDE	DELAWARE RIVER	02/02/88	0.3	0.2
NJ:OYSTER CREEK	OYSTER CREEK	01/21/88	0.1	0.2
NV:BOULDER CITY	COLORADO RIVER	02/03/88	0.1	0.2
NY:CHELSEA	HUDSON RIVER	01/05/88	0.3	0.2
NY:OSWEGO	LAKE ONTARIO	02/18/88	0.5	0.2
OH:TOLEDO	LAKE ERIE	01/01/88	0.2	0.2
OR:BRADWOOD	COLUMBIA RIVER	01/26/88	0.1	0.2

Table 9 (continued)

Surface Water
Tritium Concentrations

January - March 1988

Location	Source	Date Collected	nCi/l	$\pm 2\sigma$
PA:DANVILLE	SUSQUEHANNA RIVER	02/03/88	0.2	0.2
SC:ALLENDALE	SAVANNAH RIVER	01/29/88	7.6	0.3
SC:BROAD RIVER	BROAD RIVER	01/21/88	0.4	0.2
SC:HARTSVILLE	LAKE ROBINSON	01/05/88	2.0	0.2
TN:DAISY	TENNESSEE RIVER	01/19/88	0.3	0.2
TN:KINGSTON	CLINCH RIVER	01/18/88	1.0	0.2
TN:OAK RIDGE	CLINCH RIVER	02/15/88	1.2	0.2
TX:EL PASO	RIO GRANDE	01/04/88	0.2	0.2
TX:MATAGORDA	COLORADO RIVER	01/12/88	0.1	0.2
VA:DOSWELL	NORTH ANNA RIVER	01/07/88	2.9	0.2
VA:NEWPORT NEWS	JAMES RIVER	01/26/88	0.3	0.2
WA:NORTHPORT	COLUMBIA RIVER	01/13/88	0.2	0.2
WA:RICHLAND	COLUMBIA RIVER	01/05/88	0.3	0.2
WI:TWO CREEKS	LAKE MICHIGAN	01/11/88	0.2	0.2
WI:VICTORY	MISSISSIPPI RIVER	02/02/88	0.2	0.2
WV:WHEELING	OHIO RIVER	02/29/88	0.2	0.2

σ = Sigma Counting Error.

Table 10

Surface Water
Annual Gamma Analysis

January - December 1987

Location	Source	Date Collected	Gamma pCi/l $\pm 2\sigma$
AL:DECATUR	TENNESSEE RIVER	04/01/87	ND
AL:GORDAN	CHATTAHOOCHEE RIVER	04/09/87	ND
AL:SCOTTSBORO	TENNESSEE RIVER	04/03/87	ND
AR:LITTLE ROCK	ARKANSAS RIVER	04/01/87	ND
CA:DIABLO CANYON	PACIFIC OCEAN	04/15/87	ND
CA:EUREKA	HUMBOLDT BAY	04/09/87	^{40}K: 253 ±33 %
CA:SAN ONOFRE	PACIFIC OCEAN	06/08/87	^{40}K: 260 ±72 %
CO:PLATTEVILLE	SOUTH PLATTE RIVER	04/13/87	ND
CT:EAST HADDAM	CONNECTICUT RIVER	05/15/87	ND
CT:WATERFORD	LONG ISLAND SOUND	05/15/87	^{40}K: 300 ±28 %
FL:CRYSTAL RIVER	GULF OF MEXICO	04/06/87	ND
FL:FT. PIERCE	ATLANTIC OCEAN	04/07/87	ND
FL:HOMESTEAD	BISCAYNE BAY	05/18/87	ND
FL:HOMESTEAD	BISCAYNE BAY	04/07/87	ND
IA:CEDAR RAPIDS	CEDAR RIVER	05/05/87	ND
ID:BUHL	SNAKE RIVER	05/06/87	ND
IL:MORRIS	ILLINOIS RIVER	04/25/87	ND
IL:ZION	LAKE MICHIGAN	05/15/87	ND
KS:LE ROY	NEOSHO RIVER	06/30/87	ND
KS:LE ROY	NEOSHO RIVER	03/31/87	ND
LA:NEW ORLEANS	MISSISSIPPI RIVER	04/08/87	ND
MA:PLYMOUTH	CAPE COD BAY	04/06/87	ND
MD:CONOWINGO	SUSQUEHANNA RIVER	04/14/87	ND
MD:LUSBY	CHESAPEAKE BAY	04/15/87	ND
ME:WISCASSET	MONTSEWAY BAY	04/07/87	ND
MI:BRIDGMAN	LAKE MICHIGAN	04/07/87	ND
MI:CHARLEVOIX	LAKE MICHIGAN	04/03/87	ND
MI:MONROE	LAKE ERIE	04/06/87	ND
MI:SOUTH HAVEN	LAKE MICHIGAN	04/06/87	ND
MN:MONTICELLO	MISSISSIPPI RIVER	04/06/87	ND
MN:RED WING	MISSISSIPPI RIVER	04/07/87	ND
MS:PORT GIBSON	MISSISSIPPI RIVER	04/09/87	ND
NC:CHARLOTTE	CATAWBA RIVER	04/01/87	ND
NC:SOUTHPORT	ATLANTIC OCEAN	04/09/87	^{40}K: 85 ±93 %
NE:RULO	MISSOURI RIVER	04/17/87	ND
NJ:BAYSIDE	DELAWARE RIVER	04/13/87	^{40}K: 160 ±51 %
NJ:OYSTER CREEK	OYSTER CREEK	04/23/87	^{40}K: 90 ±88 %

Table 10 (continued)

Surface Water
Annual Gamma Analysis

January - December 1987

Location	Source	Date Collected	Gamma pCi/l $\pm 2\sigma$
NV:BOULDER CITY	COLORADO RIVER	04/30/87	ND
NY:CHELSEA	HUDSON RIVER	04/01/87	ND
NY:OSSINING	HUDSON RIVER	06/15/87	ND
OH:TOLEDO	LAKE ERIE	04/01/87	ND
OR:BRADWOOD	COLUMBIA RIVER	04/29/87	ND
PA:DANVILLE	SUSQUEHANNA RIVER	04/22/87	ND
SC:ALLENDALE	SAVANNAH RIVER	04/30/87	ND
SC:BROAD RIVER	BROAD RIVER	04/09/87	ND
SC:HARTSVILLE	LAKE ROBINSON	04/06/87	ND
TN:DAISY	TENNESSEE RIVER	04/16/87	^{40}K: 93 $\pm$88 %
TN:KINGSTON	CLINCH RIVER	04/14/87	ND
TX:EL PASO	RIO GRANDE	04/29/87	ND
TX:MATAGORDA	COLORADO RIVER	04/22/87	ND
VA:DOSWELL	NORTH ANNA RIVER	04/09/87	ND
VA:NEWPORT NEWS	JAMES RIVER	04/09/87	ND
WA:NORTHPORT	COLUMBIA RIVER	05/20/87	ND
WA:RICHLAND	COLUMBIA RIVER	04/21/87	ND
WI:TWO CREEKS	LAKE MICHIGAN	04/27/87	ND
WI:VICTORY	MISSISSIPPI RIVER	04/13/87	^{40}K: 121 $\pm$67 %
WV:WHEELING	OHIO RIVER	06/05/87	ND

σ = Sigma Counting Error.
ND = No Gamma Activity Detectable.

Drinking Water

This program monitors ambient radiation levels in drinking water at 78 sites. These data serve to assess trends and anomalies in concentrations, and to compare with standards set forth in the EPA "National Interim Primary Drinking Water Regulations." These regulations provide for approval of supplies when the combined radium-226 and radium-228 levels do not exceed 5 pCi/l, when the gross alpha (excluding radon and uranium) levels do not exceed 15 pCi/l, when tritium levels do not exceed 20,000 pCi/l, when the strontium-90 levels do not exceed 8 pCi/l, and when the gross beta levels do not exceed 50 pCi/l.

Grab samples are taken at the 78 sites which are either major population centers or selected nuclear facility environs.

The analyses include (a) tritium on a quarterly basis; (b) gross alpha, gross beta, strontium-90, and gamma on annual composites; (c) radium-226 if the gross alpha exceeds 2 pCi/l and radium-228 if the radium-226 falls between 3 and 5 pCi/l; (d) specific iodine-131 on one quarterly sample per year for each station; and (e) an annual composite for plutonium-238, -239, and -240 and uranium-234, -235, and -238 for stations that demonstrate gross alpha levels greater than 2 pCi/l.

Tritium analyses are performed by scintillation counting of the distilled samples. Gross beta and alpha are determined by evaporating an aliquot on a stainless steel planchet for counting. Radium-226 is determined by the standard emanation technique. Strontium-90 is determined by beta counting a strontium carbonate precipitate isolated by ion exchange.

Table 11 contains the data in drinking water for January - March 1988.
Table 12 contains the I-131 in drinking water results for January - December 1987.

Table 11
Drinking Water
Tritium Concentrations
January - March 1988

Location	Date Collected	nCi/l	$\pm 2\sigma$
AK:FAIRBANKS	01/05/88	0.2	0.2
AL:DOTHAN	01/22/88	0.1	0.2
AL:MONTGOMERY	01/06/88	0.3	0.2
AL:MUSCLE SHOALS	12/28/87	0.3	0.2
AL:SCOTTSBORO	12/30/87	0.3	0.2
AR:LITTLE ROCK	01/19/88	0.2	0.2
CA:BERKELEY	01/04/88	0.2	0.2
CA:LOS ANGELES	01/04/88	0.2	0.2
CO:DENVER	01/04/88	0.2	0.2
CO:PLATTEVILLE	01/04/88	0.1	0.2
CT:HARTFORD	01/05/88	0.2	0.2
DC:WASHINGTON	01/05/88	0.2	0.2
DE:DOVER	01/04/88	0.2	0.2
FL:MIAMI	01/04/88	0.2	0.2
FL:TAMPA	01/04/88	0.1	0.2
GA:SAVANNAH	03/15/88	0.3	0.2
HI:HONOLULU	01/05/88	0.2	0.2
IA:CEDAR RAPIDS	01/04/88	0.3	0.2
ID:BOISE	01/13/88	0.2	0.2
ID:IDAHO FALLS	02/16/88	0.2	0.2
IL:MORRIS	01/14/88	0.2	0.2
IL:W. CHICAGO	01/04/88	0.1	0.2
KS:TOPEKA	01/04/88	0.3	0.2
LA:NEW ORLEANS	01/06/88	0.2	0.2
MA:LAWRENCE	01/04/88	0.2	0.2
MD:BALTIMORE	02/03/88	0.1	0.2
MD:CONOWINGO	01/12/88	0.3	0.2
ME:AUGUSTA	01/05/8[illegible]	0.4	0.2
MI:DETROIT	01/18/88	0.2	0.2
MI:GRAND RAPIDS	01/15/88	0.2	0.2
MN:MINNEAPOLIS	01/19/88	0.2	0.2
MN:RED WING	03/09/88	0.1	0.2
MS:JACKSON	01/14/88	0.2	0.2
MS:PORT GIBSON	01/14/88	0.2	0.2
MT:HELENA	01/04/88	0.3	0.2
NC:CHARLOTTE	01/06/88	0.5	0.2
NC:WILMINGTON	01/15/88	0.2	0.2
ND:BISMARCK	01/04/88	0.2	0.2

Table 11 (continued)

Drinking Water
Tritium Concentrations

January - March 1988

Location	Date Collected	nCi/l	$\pm 2\sigma$
NE:LINCOLN	01/07/88	0.3	0.2
NH:CONCORD	01/01/88	0.1	0.2
NJ:TRENTON	01/21/88	0.1	0.2
NJ:WARETOWN	01/21/88	0.1	0.2
NV:LAS VEGAS	01/07/88	0.2	0.2
NY:ALBANY	01/04/88	0.1	0.2
NY:NEW YORK CITY	01/04/88	0.3	0.2
NY:NIAGARA FALLS	01/04/88	0.3	0.2
NY:SYRACUSE	03/21/88	0.1	0.2
OH:CINCINNATI	01/07/88	0.2	0.2
OH:COLUMBUS	02/02/88	0.2	0.2
OH:EAST LIVERPOOL	02/18/88	0.1	0.2
OH:PAINESVILLE	01/04/88	0.3	0.2
OH:TOLEDO	01/01/88	0.2	0.2
OK:OKLAHOMA CITY	01/05/88	0.2	0.2
OR:PORTLAND	01/05/88	0.2	0.2
PA:COLUMBIA	01/14/88	0.2	0.2
PA:HARRISBURG	01/11/88	0.3	0.2
PA:PITTSBURGH	02/18/88	0.1	0.2
PC:ANCON	01/11/88	0.1	0.2
RI:PROVIDENCE	01/13/88	0.1	0.2
SC:BARNWELL	01/13/88	0.1	0.2
SC:COLUMBIA	01/04/88	0.5	0.2
SC:HARTSVILLE	01/05/88	0.1	0.2
SC:JENKINSVILLE	01/22/88	0.2	0.2
SC:SENECA	01/26/88	0.3	0.2
TN:CHATTANOOGA	02/29/88	0.2	0.2
TN:KNOXVILLE	01/04/88	0.2	0.2
TX:AUSTIN	02/11/88	0.2	0.2
VA:DOSWELL	01/06/88	0.1	0.2
VA:LYNCHBURG	01/04/88	0.2	0.2
VA:VIRGINIA BEACH	02/06/88	0.2	0.2
VI:ST. THOMAS	02/12/88	0.1	0.2
WA:RICHLAND	01/05/88	0.3	0.2
WA:SEATTLE	01/01/88	0.2	0.2
WI:GENOA CITY	01/11/88	0.1	0.2
WI:MADISON	01/06/88	0.2	0.2

σ = Sigma Counting Error.

Table 12

Iodine-131 in Drinking Water Concentrations

January - December 1987

Location	Date Collected	pCi/l	$\pm 2\sigma$
AK:FAIRBANKS	01/16/87	0.0	0.1
AL:DOTHAN	01/08/87	0.0	0.1
AL:MONTGOMERY	08/13/87	0.2	0.1
AL:MUSCLE SHOALS	07/07/87	0.0	0.1
AL:SCOTTSBORO	10/08/87	0.2	0.2
AR:LITTLE ROCK	04/01/87	0.1	0.1
CA:BERKELEY	04/13/87	-0.1	0.1
CA:LOS ANGELES	01/06/87	0.0	0.1
CO:DENVER	01/06/87	-0.1	0.1
CO:PLATTEVILLE	04/13/87	-0.1	0.1
CT:HARTFORD	01/05/87	0.3	0.1
DC:WASHINGTON	10/15/87	0.1	0.1
DE:DOVER	04/01/87	0.1	0.1
FL:MIAMI	01/06/87	-0.2	0.1
FL:TAMPA	01/06/87	0.0	0.1
GA:BAXLEY	09/22/87	-2.5	3.1
GA:SAVANNAH	09/29/87	0.2	0.2
HI:HONOLULU	04/23/87	-0.2	0.1
IA:CEDAR RAPIDS	01/06/87	-0.2	0.1
ID:BOISE	06/30/87	-0.1	0.2
ID:IDAHO FALLS	08/11/87	0.3	0.1
IL:MORRIS	01/15/87	0.2	0.1
IL:W. CHICAGO	03/30/87	0.0	0.1
KS:TOPEKA	01/05/87	0.1	0.1
LA:NEW ORLEANS	01/07/87	-0.4	0.1
MA:LAWRENCE	01/08/87	0.3	0.3
MA:ROWE	01/21/87	0.2	0.1
MD:BALTIMORE	09/04/87	0.3	0.2
MD:CONOWINGO	01/13/87	0.1	0.1
ME:AUGUSTA	04/08/87	0.0	0.1
MI:DETROIT	01/07/87	-0.2	0.1
MI:GRAND RAPIDS	01/09/87	0.1	0.1
MN:MINNEAPOLIS	01/15/87	0.0	0.1
MN:RED WING	01/08/87	0.0	0.1
MO:JEFFERSON CITY	09/02/87	0.3	0.2
MS:JACKSON	04/10/87	0.3	0.1
MS:PORT GIBSON	04/09/87	0.2	0.1

Table 12 (continued)

Iodine-131 in Drinking Water Concentrations

January - December 1987

Location	Date Collected	pCi/l	$\pm 2\sigma$
MT:HELENA	01/05/87	0.1	0.1
NC:CHARLOTTE	01/07/87	0.1	0.1
NC:WILMINGTON	04/09/87	0.0	0.3
ND:BISMARCK	01/05/87	0.2	0.1
NE:LINCOLN	04/14/87	0.2	0.1
NH:CONCORD	01/06/87	-0.1	0.1
NJ:WARETOWN	04/23/87	0.0	0.1
NM:SANTA FE	01/08/87	-0.2	0.1
NV:LAS VEGAS	01/07/87	0.0	0.1
NY:ALBANY	04/01/87	0.2	0.1
NY:NEW YORK CITY	01/07/87	0.2	0.1
NY:NIAGARA FALLS	01/07/87	0.2	0.1
NY:SYRACUSE	03/30/87	0.1	0.1
OH:CINCINNATI	09/30/87	0.4	0.3
OH:COLUMBUS	03/31/87	0.1	0.1
OH:EAST LIVERPOOL	01/14/87	0.2	0.1
OH:PAINESVILLE	01/06/87	-0.6	0.1
OH:TOLEDO	01/13/87	0.1	0.1
OK:OKLAHOMA CITY	01/07/87	-0.3	0.1
OR:PORTLAND	01/09/87	0.0	0.1
PA:COLUMBIA	04/09/87	0.3	0.3
PA:HARRISBURG	04/07/87	0.1	0.1
PA:PITTSBURGH	01/14/87	0.1	0.1
PC:ANCON	07/09/87	0.3	0.2
RI:PROVIDENCE	01/06/87	-0.1	0.1
SC:BARNWELL	10/30/87	0.1	0.1
SC:COLUMBIA	01/07/87	-0.2	0.1
SC:HARTSVILLE	04/06/87	-0.2	0.1
SC:JENKINSVILLE	04/24/87	-0.1	0.1
SC:SENECA	04/21/87	-0.2	0.1
TN:CHATTANOOGA	04/02/87	0.0	0.1
TN:KNOXVILLE	03/30/87	0.1	0.1
TX:AUSTIN	01/09/87	0.1	0.1
VA:DOSWELL	04/14/87	-0.1	0.1
VA:LYNCHBURG	04/01/87	0.1	0.1
VA:VIRGINIA BEACH	08/13/87	0.4	0.2
VI:ST. THOMAS	08/03/87	-0.1	0.5

Table 12 (continued)

Iodine-131 in Drinking Water Concentrations

January - December 1987

Location	Date Collected	pCi/l	$\pm 2\sigma$
WA:RICHLAND	01/13/87	0.0	0.1
WA:SEATTLE	04/03/87	0.1	0.1
WI:MADISON	04/07/87	0.0	0.1

σ = Sigma Counting Error.

ENVIRONMENTAL RADIATION AMBIENT MONITORING SYSTEM (ERAMS)

Section III. External Gamma Ambient Monitoring Program

The external gamma monitoring program, which began in October 1978, provides a continuous measurement of ambient gamma exposure rates, including cosmic, at selected sites throughout the continental United States. Data from this program are used to evaluate fluctuations in natural background due to variations in environmental conditions and to provide a means of monitoring any significant increases in ambient gamma levels. The program consists of approximately 22 sites representing wide geographic coverage throughout the country.[1] Although exposure measurements at these few sites are not totally representative of nationwide exposures, they do indicate national trends.

The monitoring program utilizes CaF_2:Mn thermoluminescent dosimeters (TLD's). These dosimeters are commercially available glass-bulb type dosimeters with energy compensating shields. A group of three TLD's is located at each station or site. Dosimeters are annealed by the station operator prior to positioning in the field. The dosimeters are returned to EERF for readout approximately every three months. Several dosimeters are annealed by the station operator as controls and returned with the exposed field dosimeters to correct for any exposures accumulated during shipment.

Table 13 contains the data for environmental gamma ambient monitoring program January - March 1988.

[1] Some of these sites may not return dosimeters each period and consequently the number of sites listed may vary slightly.

Table 13

Environmental Gamma Ambient Monitoring Program

January - March 1988

Location	Date Range	Integrated Exposure mR	Exposure Rate μR/hr	$\pm 2\sigma$
CA:BERKELEY	01/19/88-04/05/88	14.7	7.9	3.5
CO:DENVER	01/26/88-04/06/88	27.1	15.9	4.7
FL:ORLANDO	01/19/88-03/31/88	11.9	6.9	15.7
ID:BOISE	01/19/88-03/31/88	22.5	13.0	4.3
IL:CHICAGO	01/19/88-04/11/88	21.8	11.0	6.9
ND:BISMARCK	01/15/88-04/04/88	23.1	12.0	6.7
NJ:TRENTON	01/15/88-04/08/88	26.1	12.9	4.2
NM:SANTA FE	01/22/88-04/07/88	30.5	16.7	4.1
NV:LAS VEGAS	01/14/88-04/01/88	15.2	8.1	5.3
NY:NEW YORK	01/21/88-04/19/88	19.2	9.0	5.5
OH:COLUMBUS	02/16/88-04/19/88	12.9	8.5	5.3
OK:OKLAHOMA CITY	01/22/88-04/05/88	17.5	9.8	15.9
OR:PORTLAND	01/29/88-04/01/88	12.7	8.4	5.6
PA:HARRISBURG	01/15/88-04/05/88	15.9	8.2	5.6
PA:PITTSBURGH	01/15/88-04/04/88	24.2	12.5	9.1
RI:PROVIDENCE	01/15/88-04/01/88	18.5	10.0	7.0
SC:BARNWELL	01/28/88-04/14/88	26.2	14.2	4.7
SC:COLUMBIA	01/15/88-03/31/88	21.1	11.6	7.6
VA:RICHMOND	01/15/88-04/12/88	17.6	8.3	4.1
VT:MONTPELIER	02/02/88-04/12/88	14.5	8.6	6.3

σ = Sigma Counting Error (in percent).

ENVIRONMENTAL RADIATION
AMBIENT MONITORING SYSTEM (ERAMS)

Section IV. Milk Program

Pasteurized Milk

This is a cooperative program with the Dairy and Lipid Products Branch, Milk Sanitation Section, Food and Drug Administration. Milk is a reliable indicator of the general population's intake of radionuclides since it is consumed fresh by a large segment of the population and can contain several of the biologically important radionuclides that result from environmental releases from nuclear activities. A primary function of this program is to obtain reliable monitoring data relative to current radionuclide concentrations and determine any long-term trends.

Monthly samples are collected at 65 sampling sites with one or more located in each state, Puerto Rico, and the Panama Canal Zone. The samples are composited, according to production, from the major milk suppliers representing more than 80 percent of the milk consumed in a given population center.

The samples are analyzed for gamma emitting nuclides, which include iodine–131, barium–140, cesium–137, and potassium. All samples collected in July are analyzed for strontium–89 and strontium–90. Also, for the first month of the three quarters beginning January, April and October, 10 regional composite samples of milk made up from the states within each of EPA's 10 regions are analyzed for strontium–89 and strontium–90.

Iodine–131, barium–140, cesium–137, and potassium are determined by gamma spectral analysis. Strontium–89 and strontium–90 are determined by beta counting a total strontium precipitate that has been chemically separated by ion exchange.

Tables 14–16 contain the concentrations of radionuclides in pasteurized milk for January - March 1988. Table 17 contains the concentrations of strontium-90 and strontium-89 in pasteurized milk EPA Regional Composites for January - March 1988.

Table 14

Concentrations of Radionuclides in Pasteurized Milk

January 1988

Location	Date Collected	K		^{137}Cs		^{140}Ba		^{131}I	
		g/l	±2σ	pCi/l	±2σ	pCi/l	±2σ	pCi/l	±2σ
AL:MONTGOMERY	01/08/88	1.57	0.12	-1	7	1	8	-2	7
AR:LITTLE ROCK	01/05/88	1.33	0.12	6	9	-2	9	8	7
AZ:PHOENIX	01/06/88	1.51	0.13	7	9	-7	9	0	7
CA:LOS ANGELES	01/05/88	1.35	0.09	9	6	2	6	1	5
CA:SACRAMENTO	01/05/88	1.49	0.13	5	9	0	9	2	7
CA:SAN FRANCISCO	01/19/88	1.31	0.12	2	9	-3	9	2	7
CO:DENVER	01/04/88	1.24	0.08	9	6	-5	6	8	5
CT:HARTFORD	01/04/88	1.44	0.09	7	6	2	6	7	5
DE:WILMINGTON	01/06/88	1.49	0.13	6	9	-7	9	4	7
GA:ATLANTA	01/11/88	1.46	0.13	6	9	-1	9	1	7
HI:HONOLULU	01/04/88	1.39	0.12	16	9	-2	9	5	7
IA:DES MOINES	01/05/88	1.64	0.13	1	9	-12	9	6	7
IL:CHICAGO	01/04/88	1.51	0.13	5	7	-4	9	7	7
IN:INDIANAPOLIS	01/04/88	1.48	0.08	1	5	-4	6	2	5
KS:WICHITA	01/04/88	1.45	0.08	3	5	-3	6	3	5
KY:LOUISVILLE	01/05/88	1.43	0.13	12	9	-3	9	7	7
LA:NEW ORLEANS	01/15/88	1.49	0.13	2	9	1	9	2	7
MD:BALTIMORE	01/01/88	1.33	0.12	4	9	-4	9	4	7
MI:DETROIT	01/07/88	1.49	0.12	-2	7	-4	8	-3	7
MI:GRAND RAPIDS	01/04/88	1.47	0.12	6	7	-1	9	6	7
MN:MINNEAPOLIS	01/11/88	1.59	0.13	10	9	-1	9	-1	7
MN:ST. PAUL	01/04/88	1.40	0.13	10	9	-4	9	8	7
MO:KANSAS CITY	01/08/88	1.48	0.24	3	18	-17	18	8	14
MO:ST. LOUIS	01/06/88	1.60	0.12	3	7	-6	8	-1	7
MS:JACKSON	01/04/88	1.38	0.12	2	9	0	9	5	7
MT:HELENA	01/06/88	1.58	0.12	0	7	-2	8	1	7
NC:CHARLOTTE	01/12/88	1.60	0.24	11	18	-5	19	-1	14
ND:MINOT	01/26/88	1.49	0.12	1	7	-7	9	-3	7
NE:OMAHA	01/08/88	1.59	0.12	1	7	-6	8	-3	7
NH:MANCHESTER	01/11/88	1.25	0.12	4	9	0	9	0	7
NJ:TRENTON	01/07/88	1.55	0.12	-1	7	-3	8	-2	7
NM:ALBUQUERQUE	01/04/88	1.42	0.08	6	5	-8	6	2	5
NV:LAS VEGAS	01/25/88	1.45	0.12	4	7	-6	9	-1	7
NY:BUFFALO	01/12/88	1.42	0.13	9	9	-13	9	2	7
NY:NEW YORK CITY	01/04/88	1.54	0.08	1	5	-2	6	-5	5
NY:SYRACUSE	01/04/88	1.21	0.12	8	9	-8	9	7	7
OH:CINCINNATI	01/22/88	1.53	0.13	-3	7	-10	9	0	7

Table 14 (continued)

Concentrations of Radionuclides in Pasteurized Milk

January 1988

Location	Date Collected	K		^{137}Cs		^{140}Ba		^{131}I	
		g/l	±2σ	pCi/l	±2σ	pCi/l	±2σ	pCi/l	±2σ
OK:OKLAHOMA CITY	01/04/88	1.28	0.12	11	9	-1	9	9	7
OR:PORTLAND	01/04/88	1.54	0.09	3	5	-4	6	1	5
PA:PHILADELPHIA	01/04/88	1.48	0.09	1	5	-4	6	6	5
PA:PITTSBURGH	01/04/88	1.45	0.12	-1	7	-6	8	2	7
PC:CRISTOBAL	01/25/88	1.54	0.13	9	7	-6	9	2	7
PR:SAN JUAN	01/26/88	1.57	0.13	4	7	-8	9	1	7
SC:CHARLESTON	01/22/88	1.50	0.13	9	9	-11	9	6	7
SD:RAPID CITY	01/06/88	1.76	0.25	10	18	0	19	6	14
TN:CHATTANOOGA	01/04/88	1.18	0.08	6	6	-5	6	4	5
TN:KNOXVILLE	01/04/88	1.37	0.12	7	9	-6	9	9	7
TN:MEMPHIS	01/20/88	1.53	0.13	3	7	2	9	-1	7
TX:AUSTIN	01/08/88	1.66	0.12	0	7	-4	8	-3	7
TX:FT. WORTH	01/12/88	1.52	0.13	7	9	-1	9	2	7
VA:NORFOLK	01/05/88	1.50	0.13	3	7	1	9	10	7
VT:BURLINGTON	01/04/88	1.52	0.12	1	7	-5	8	-2	7
WA:SEATTLE	01/05/88	1.27	0.12	4	9	-3	9	4	7
WA:SPOKANE	01/24/88	1.50	0.13	0	7	-8	9	4	7
WV:CHARLESTON	01/19/88	1.62	0.24	7	18	0	19	-9	14
WY:LARAMIE	01/12/88	1.47	0.12	-2	7	-3	8	7	7

σ = Sigma Counting Error.

Table 15

Concentrations of Radionuclides in Pasteurized Milk

February 1988

Location	Date Collected	K		^{137}Cs		^{140}Ba		^{131}I	
		g/l	±2σ	pCi/l	±2σ	pCi/l	±2σ	pCi/l	±2σ
AL:MONTGOMERY	02/04/88	1.58	0.13	4	7	-9	9	1	7
AR:LITTLE ROCK	02/01/88	1.43	0.09	5	6	-1	6	3	5
AZ:PHOENIX	02/09/88	1.44	0.12	-2	7	-7	9	1	7
CA:LOS ANGELES	02/02/88	1.31	0.12	2	9	-4	9	5	7
CA:SACRAMENTO	02/02/88	1.38	0.12	1	9	-11	9	6	7
CA:SAN FRANCISCO	02/04/88	1.48	0.09	2	5	-4	6	-1	5
CO:DENVER	02/01/88	1.44	0.12	1	7	2	9	3	7
CT:HARTFORD	02/01/88	1.39	0.12	3	9	-2	9	2	7
DE:WILMINGTON	02/03/88	1.28	0.12	10	9	-8	9	5	7
FL:TAMPA	02/23/88	1.36	0.12	16	9	-3	9	2	7
GA:ATLANTA	02/08/88	1.45	0.12	4	7	-5	9	6	7
HI:HONOLULU	02/02/88	1.65	0.13	3	7	-3	9	-1	7
IA:DES MOINES	02/01/88	1.44	0.08	1	5	-2	6	3	5
ID:IDAHO FALLS	02/24/88	1.44	0.12	0	7	3	9	1	7
IL:CHICAGO	02/01/88	1.39	0.09	8	6	-4	6	7	5
IN:INDIANAPOLIS	02/08/88	1.55	0.13	-1	7	-3	9	3	7
KS:WICHITA	02/02/88	1.46	0.12	4	7	-4	9	2	7
KY:LOUISVILLE	02/02/88	1.48	0.09	2	5	-1	6	4	5
LA:NEW ORLEANS	02/19/88	1.46	0.13	6	9	-6	9	5	7
MD:BALTIMORE	02/05/88	1.57	0.13	0	7	-5	9	1	7
ME:PORTLAND	02/02/88	1.29	0.12	4	9	2	9	0	7
MI:DETROIT	02/11/88	1.67	0.13	0	7	-5	9	1	7
MI:GRAND RAPIDS	02/08/88	1.61	0.13	2	7	-4	9	2	7
MN:MINNEAPOLIS	02/01/88	1.49	0.13	1	7	4	9	5	7
MN:ST. PAUL	02/01/88	1.88	0.25	11	18	-12	18	-3	14
MO:KANSAS CITY	02/12/88	1.43	0.13	5	9	6	10	8	7
MO:ST. LOUIS	02/03/88	1.59	0.13	5	7	-1	9	0	7
MS:JACKSON	02/03/88	1.47	0.12	2	7	-11	9	1	7
MT:HELENA	02/08/88	1.60	0.09	3	5	1	6	2	5
NC:CHARLOTTE	02/09/88	1.62	0.24	11	18	3	19	3	14
ND:MINOT	02/24/88	1.52	0.13	-1	7	-2	9	-2	7
NE:OMAHA	02/08/88	1.44	0.12	0	7	-6	9	1	7
NH:MANCHESTER	02/01/88	1.30	0.12	5	7	4	9	2	7
NJ:TRENTON	02/03/88	1.52	0.13	0	7	-3	9	-2	7
NM:ALBUQUERQUE	02/01/88	1.39	0.12	-1	7	0	9	0	7
NY:BUFFALO	02/16/88	1.37	0.12	7	9	2	9	3	7
NY:NEW YORK CITY	02/01/88	1.58	0.13	3	7	-1	9	-1	7

Table 15 (continued)

Concentrations of Radionuclides in Pasteurized Milk

February 1988

Location	Date Collected	K		^{137}Cs		^{140}Ba		^{131}I	
		g/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$
NY:SYRACUSE	02/01/88	1.63	0.09	1	5	-8	6	2	5
OH:CINCINNATI	02/29/88	1.58	0.13	-1	7	-2	9	-2	7
OK:OKLAHOMA CITY	02/01/88	1.38	0.12	5	9	-2	9	4	7
OR:PORTLAND	02/02/88	1.55	0.13	0	7	1	9	2	7
PA:PHILADELPHIA	02/08/88	1.48	0.12	1	7	2	9	-1	7
PA:PITTSBURGH	02/10/88	1.52	0.13	-1	7	-2	9	-2	7
PC:CRISTOBAL	02/25/88	1.53	0.13	11	7	-9	9	1	7
PR:SAN JUAN	02/18/88	1.49	0.12	2	7	-4	9	2	7
SC:CHARLESTON	02/17/88	1.52	0.13	7	7	1	9	5	7
SD:RAPID CITY	02/01/88	1.56	0.13	3	7	1	9	0	7
TN:CHATTANOOGA	02/07/88	1.58	0.13	3	7	-4	9	4	7
TN:KNOXVILLE	02/08/88	1.50	0.13	0	7	-4	9	0	7
TN:MEMPHIS	02/09/88	1.54	0.13	-3	7	0	9	0	7
TX:AUSTIN	02/09/88	1.48	0.13	2	9	-4	9	6	7
TX:FT. WORTH	02/03/88	1.48	0.12	3	7	-5	9	1	7
VA:NORFOLK	02/24/88	1.45	0.07	7	5	-1	5	3	4
VT:BURLINGTON	02/01/88	1.45	0.08	2	5	-8	6	0	5
WA:SEATTLE	02/10/88	1.44	0.09	5	6	-1	6	2	5
WA:SPOKANE	02/24/88	1.31	0.12	6	9	-7	9	8	7
WV:CHARLESTON	02/23/88	1.63	0.24	3	18	-1	19	-9	14
WY:LARAMIE	02/04/88	1.54	0.13	-1	7	-5	9	1	7

σ = Sigma Counting Error.

Table 16

Concentrations of Radionuclides in Pasteurized Milk

March 1988

Location	Date Collected	K		^{137}Cs		^{140}Ba		^{131}I	
		g/l	±2σ	pCi/l	±2σ	pCi/l	±2σ	pCi/l	±2σ
AK:ANCHORAGE	03/10/88	1.46	0.09	5	5	2	6	5	5
AL:MONTGOMERY	03/11/88	1.42	0.12	3	7	1	9	2	7
AR:LITTLE ROCK	03/01/88	1.38	0.12	5	9	-4	9	4	7
AZ:PHOENIX	03/09/88	1.49	0.13	2	7	3	9	5	7
CA:LOS ANGELES	03/03/88	1.51	0.13	0	7	-5	9	7	7
CA:SACRAMENTO	03/01/88	1.51	0.09	4	5	-2	6	3	5
CA:SAN FRANCISCO	03/04/88	1.35	0.12	9	9	0	9	8	7
CO:DENVER	03/01/88	1.50	0.09	0	5	-6	6	4	5
CT:HARTFORD	03/05/88	1.36	0.12	9	9	-7	9	3	7
DE:WILMINGTON	03/01/88	1.50	0.13	9	9	2	9	3	7
FL:TAMPA	03/01/88	1.59	0.13	8	9	3	10	1	7
GA:ATLANTA	03/14/88	1.17	0.12	3	9	-1	9	6	7
HI:HONOLULU	03/01/88	1.47	0.13	5	9	0	9	4	7
IL:CHICAGO	03/01/88	1.50	0.13	3	7	-2	9	5	7
IN:INDIANAPOLIS	03/07/88	1.46	0.13	5	9	8	10	0	7
KS:WICHITA	03/23/88	1.48	0.12	2	7	-6	9	4	7
KY:LOUISVILLE	03/08/88	1.49	0.12	6	7	-3	9	5	7
LA:NEW ORLEANS	03/18/88	1.45	0.09	8	6	-6	6	4	5
MD:BALTIMORE	03/04/88	1.50	0.09	4	5	0	6	3	5
ME:PORTLAND	03/02/88	1.47	0.09	7	6	-2	6	4	5
MI:DETROIT	03/10/88	1.47	0.13	-1	9	2	9	5	7
MI:GRAND RAPIDS	03/07/88	1.40	0.09	11	6	3	7	2	5
MN:MINNEAPOLIS	03/07/88	1.55	0.13	-1	7	7	9	8	7
MN:ST. PAUL	03/01/88	1.57	0.09	3	5	-2	6	3	5
MO:KANSAS CITY	03/11/88	1.51	0.13	5	7	1	9	4	7
MO:ST. LOUIS	03/02/88	1.56	0.09	1	5	-5	6	0	5
MS:JACKSON	03/04/88	1.56	0.13	8	7	0	9	4	7
MT:HELENA	03/23/88	1.54	0.13	3	7	-4	9	-1	7
NC:CHARLOTTE	03/14/88	1.57	0.24	21	18	1	19	12	14
ND:MINOT	03/28/88	1.42	0.13	-2	9	-1	9	3	7
NE:OMAHA	03/11/88	1.40	0.12	3	7	-2	9	0	7
NH:MANCHESTER	03/07/88	1.28	0.12	4	7	-2	9	6	7
NJ:TRENTON	03/09/88	1.47	0.13	6	9	-1	9	1	7
NM:ALBUQUERQUE	03/07/88	1.37	0.12	7	7	0	9	4	7
NV:LAS VEGAS	03/14/88	1.46	0.13	-1	9	-5	9	1	7
NY:BUFFALO	03/11/88	1.41	0.13	9	9	-1	9	9	7
NY:NEW YORK CITY	03/07/88	1.51	0.13	8	9	-4	9	5	7

Table 16 (continued)

Concentrations of Radionuclides in Pasteurized Milk

March 1988

Location	Date Collected	K		^{137}Cs		^{140}Ba		^{131}I	
		g/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$	pCi/l	$\pm 2\sigma$
NY:SYRACUSE	03/07/88	1.62	0.13	6	7	3	9	0	7
OH:CINCINNATI	03/31/88	1.59	0.13	7	7	-2	9	3	7
OK:OKLAHOMA CITY	03/14/88	1.52	0.13	4	7	-5	9	0	7
OR:PORTLAND	03/07/88	1.60	0.13	4	7	0	9	0	7
PA:PHILADELPHIA	03/07/88	1.50	0.13	3	9	-1	9	9	7
PA:PITTSBURGH	03/07/88	1.40	0.13	9	9	-7	9	2	7
PC:CRISTOBAL	03/31/88	1.48	0.12	17	7	0	9	2	7
PR:SAN JUAN	03/14/88	1.33	0.08	7	6	-2	6	1	5
SC:CHARLESTON	03/15/88	1.42	0.13	6	9	1	9	5	7
SD:RAPID CITY	03/08/88	1.51	0.13	5	7	3	9	1	7
TN:CHATTANOOGA	03/07/88	1.54	0.13	7	9	-5	9	10	7
TN:KNOXVILLE	03/07/88	1.50	0.09	7	6	-3	6	2	5
TN:MEMPHIS	03/15/88	1.52	0.13	0	7	-4	9	-1	7
TX:AUSTIN	03/10/88	1.33	0.12	2	9	1	9	2	7
TX:FT. WORTH	03/09/88	1.40	0.07	3	4	-1	5	1	4
VA:NORFOLK	03/31/88	1.54	0.13	9	7	-3	9	5	7
VT:BURLINGTON	03/31/88	1.49	0.09	5	6	-2	7	2	5
WA:SEATTLE	03/01/88	1.42	0.13	7	9	6	10	-2	7
WV:CHARLESTON	03/29/88	1.70	0.24	-10	18	-2	19	5	14
WY:LARAMIE	03/02/88	1.40	0.09	7	6	1	6	3	5

σ = Sigma Counting Error.

Table 17

Strontium-90 and Strontium-89 in Pasteurized Milk
EPA Regional Composites

January - March 1988

EPA Region	Date	^{90}Sr pCi/l	$\pm 2\sigma$	^{89}Sr pCi/l	$\pm 2\sigma^*$
I	01/06/88	2.0	0.6	-1	3
II	01/11/88	2.1	0.3	-2	1
III	01/06/88	2.0	0.4	-1	2
IV	01/11/88	2.3	0.6	-2	3
V	01/08/88	2.3	0.8	1	4
VI	01/08/88	0.8	0.4	3	2
VII	01/06/88	1.4	0.8	0	2
VIII	01/11/88	1.8	0.6	-1	3
IX	01/11/88	0.9	0.4	0	2
X	01/11/88	1.1	0.4	0	2

σ = Sigma Counting Error.
σ^* = Analytical Error Term.

Carbon–14 in Milk

Nine stations, chosen for wide geographical distribution, contribute milk samples for annual analysis of carbon–14. These samples are monitored for carbon-14 levels in the food chain resulting from nuclear testing. Analysis consists of combusting the samples and measuring released carbon dioxide through liquid scintillation. The last carbon–14 results were for samples collected during May 1975 and May 1979. They were published in *Environmental Radiation Data: Report 29.*

AUGAFB, AL (891121) 500
*U.S. GOVERNMENT PRINTING OFFICE: 1989/631-002/86235

Environmental Radiation Data (ERD) is published quarterly (January, April, July, October) by the U.S. Environmental Protection Agency's Office of Radiation Programs.

Requests for information concerning publication and distribution of ERD should be directed to:

Charles M. Petko
Technical Support Branch
Eastern Environmental Radiation Facility
1890 Federal Drive
Montgomery, Alabama 36109

Requests for information concerning the operation of ERAMS should be directed to:

Jon A. Broadway, Chief
Monitoring and Analytical Services Branch
Eastern Environmental Radiation Facility
1890 Federal Drive
Montgomery, Alabama 36109

or to:

Robert S. Dyer, Chief
Environmental Studies and Statistics Branch
Analysis and Support Division (ANR-461)
U. S. Environmental Protection Agency
Waterside Mall East
401 M Street, SW
Washington, DC 20460

***